

Serial No. 09/220,993  
Art Unit: 2131

- Page 2 -

(C) blocking the intercepted at least one key code if the intercepted at least one key code is not authorized;

wherein said intercepting comprises:

intercepting a plurality of key codes, and, wherein said determining comprises determining if said plurality of key codes comprise an authorized key sequence.

B1  
2. (amended) The method of claim 1 further comprising:

(D) displaying a message if the intercepted key code is not authorized.

3. (amended) The method of claim 2 wherein said determining comprises comparing said intercepted at least one key code with a table.

6. (amended) The method of claim 2 further comprising:

(D) storing said key code in device state storage if said key code is authorized.

7. (amended) The method of claim 2 wherein said key code is received from an event queue.

B2  
9. (amended) The method of claim 2 wherein said intercepting, determining, and blocking occur in a filter layer and including: providing input from a remote terminal which by-passes said filter layer.

B3  
10. (amended) A method comprising:

(A) setting gamma tables to zero;

Serial No. 09/220,993  
Art Unit: 2131

- Page 3 -

- (B) after undertaking (A), loading operating system components; and
- (C) after undertaking (B), setting gamma tables to normal values.

B3  
11.  
12. (amended) The method of claim 10 further comprising:

(C.1) sending data to a remote terminal before said data reaches an interrupt handler.

13.  
14. (amended) A computer readable medium storing computer executable instructions that when loaded adapt a computer device to:

- B4
- (A) intercept a plurality of key codes, each key code representing at least one keystroke;
- (B) determine if said plurality of key codes comprise an authorized sequence; and
- (C) block the intercepted plurality of key codes if the plurality of key codes is not authorized.

14.  
15. (new) A method comprising:

- B5
- (A) intercepting a key code;
- (B) determining if the intercepted key code is authorized; and
- (C) passing the intercepted key code to a key map if the intercepted key code is authorized.

15.  
16. (new) The method of claim 14 wherein said intercepting comprises intercepting a plurality of key codes, and, wherein said determining comprises determining if said plurality of key codes comprise an authorized key sequence.

Serial No. 09/220,993  
Art Unit: 2131

- Page 4 -

16. (new) The method of claim <sup>14</sup>15 further comprising:

(D) displaying a message if the intercepted key code is not authorized.

17. (new) The method of claim <sup>14</sup>15 wherein said determining comprises comparing said intercepted at least one key code with a table.

18. (new) The method of claim <sup>14</sup>15 further comprising:

(D) storing said key code in device state storage if said key code is authorized.

19. (new) A computer readable medium storing computer executable instructions that when loaded adapts a computer device to:

- (A) intercept a key code;
- (B) determine if the intercepted key code is authorized; and
- (C) pass the intercepted key code to a key map if the intercepted key code is authorized.

#### Remarks

Claim 2 has been rewritten in independent form and claims 3 to 6 amended so as not to depend from a deleted claim. Claims 9, 11, and 12 have been amended to address the 35 USC 112 objection of the Examiner. Claim 14 has been amended so as to relate to a plurality of key codes.

The Examiner rejected claims 8 and 10 under 35 USC 112 as lacking any linking between their steps and those of claim 4. However, Applicant points out that claim 8 recites "(E) modifying said table" which is a reference to the table of claim 4. It is therefore submitted that